

Diminishing Natural Stone Slate

Ethically sourced Natural Stone Roofing Slate



Natural Weathered



Country Weathered



Turned York

Main Slates

HEIGHT	12"	18"	24"
22"	✓	✓	✓
26"	✓	✓	✓
30"	✓	✓	✓



Top Slates

HEIGHT	12"	18"
12"	✓	✓



Under Eaves

HEIGHT	17"	20"
17"	✓	



TECHNICAL DATA

Size of Slates See table

Minimum Pitch (76mm lap)

Moderate Exposure 20°

Severe Exposure 25°

Maximum Pitch 90°

Typical Laps (mm) 75, 100

Covering Capacity (Net Slates/m²)
Various

Weight of Slating (Approx, kg/m²)

75mm Lap 75

100mm Lap 82

127mm Lap 89

Battens Required (Net lin.m/m²)

75mm Lap 3.5

100mm Lap 3.6

Batten Size Recommended (fixed to BS 5534)
50 x 25mm for rafters/supports not exceeding 600mm centres

40mm Slate Pegs

Reinforced Nylon

Aluminium

(Diameter of peg holes drilled on site should not exceed maximum 8mm)

Tested to BS EN 492:2012

This product is a "Proprietary Product" it is therefore outside the scope of BS 5534:2014 (Slating and tiling for pitched roofs and vertical cladding). Code of practice and installation should therefore be carried out in accordance with manufacturer's instructions.

For more information on our products

Telephone: 01484 666400

Fax: 01484 662709

E-mail: info@greysartstone.co.uk

Website: www.greysroofing.co.uk

Greys Artstone Limited, Lees Mill, Lees Mill Lane, Linthwaite, Huddersfield HD7 5QE